

HASA SODA ASH

Safety Data Sheet

Emergency 24 Hour Telephone:

CHEMTREC 800.424.9300

Corporate Headquarters:

Hasa Inc. P.O. Box 802736 Santa Clarita, CA 91355 Telephone • 661.259.5848 Fax • 661.259.1538

	SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION				
1.1	Prod	uct Identification:			
	1.1.1	Product Name:	HASA SODA ASH		
	1.1.2	CAS #:	497-19-8		
	1.1.3	RTECS:	VZ4050000		
	1.1.4	EINECS:	207-838-8		
	1.1.5	Chemical Name:	Sodium Carbonate, Anhydrous		
	1.1.6	Chemical Formula:	Na ₂ CO ₃		
	1.1.7	Formula Weight:	106 g/mole (anhydrous) Inorganic sodium salt.		
	1.1.8	Chemical Family:			
	1.1.9	Synonym:	Crystal Carbonate; Disodium Carbonate, Sal Soda; Washing Soda, carbonic acid, disodium salt.		
1.2	Reco	mmended Use:	It is commonly used for pH adjustment in water or wastewater.		
1.3	Com	pany Identification:	Hasa Inc. P. O. Box 802736 Santa Clarita, CA 91355		
1.4	Emer	gency Telephone Number:	CHEMTREC (24 Hour): 1-800-424-9300		
1.5	Non-I	Emergency Assistance:	661-259-5848 (8 AM – 5 PM PST / PDT)		

SE	CTION 2: HAZARD(S) IDENTIFICATION	S T	
Hazard Category	Acute Toxicity (Inhalation): Category 3 Eye Damage/Irritation: Category 2A	afety [
Symbol		HASA SODA ASH Safety Data Sheet (SDS No. 208)	
Signal Word	Danger		
Hazard Statements	Toxic if inhaled. Causes serious eye irritation.	DS No	
Precautionary	Prevention		
Statements	Avoid breathing dust. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Wear eye protection/face protection.		
	Response		
	 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Emove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. 		
	Storage		
	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
	Disposal		
	Dispose of container/contents in accordance with local, regional, national, international regulations as specified.		

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS					
Ingredient	Synonym	CAS No.	Weight %		
Sodium Carbonate, Anhydrous	Soda Ash	497-19-8	100%		

		SECTION 4: FIRST AID MEASURES	S T		
4.1	IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	HASA S Safety Data		
4.2	IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	Sheet (SDS No.		
4.3					
4.4			208)		
		HOT LINE NUMBER			
go	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.				
	NOTE TO PHYSICIAN				
Pr	obable mucosal da	amage may contraindicate the use of gastric lavage.]		

	SECTION 5: FIRE FIGHTING MEASURES			
5.1	Flammability:	Non-combustible.		
5.2	Products of Combustion:	Emits sodium oxide (Na ₂ O) fumes when heated to decomposition.		
5.3	Fire Hazards in Presence of Various Substances:	Sodium carbonate can ignite and burn fiercely in contact with fluoride. Sodium carbonate in contact with fluorine decomposed at ordinary temperature with incandescence.		
5.4	Fire Fighting Media and Instructions:	Use any appropriate means of fire extinguishing for surrounding media.		
5.5	Sensitivity to Mechanical Impact:	Not sensitive.		
5.6	Sensitivity to Static Discharge:	Not sensitive.		

	SECTION 6: ACCIDENTAL RELEASE MEASURES				
6.1	Containment:	Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading Pick up and transfer to properly labeled containers Keep in suitable and closed containers for disposal			
6.2	Cleanup:	Sweep or vacuum up spillage and return to container. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Avoid breathing dust.			

SECTION 7:	HANDLING AND STORAGE
-------------------	----------------------

	SECTIO	N 7: HANDLING AND STORAGE
7.1	Handling:	Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as acids.
7.2	Storage:	Hygroscopic. Keep container tightly closed. Keep container in a cool, well ventilated area.
	SECTION 8: EXPOS	SURE CONTROLS / PERSONAL PROTECTION
8.1	Engineering Controls:	Use local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If

	SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
8.1			Use local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.		
8.2	Perso	onal Protection Equip	oment:		
	8.2.1 Eyes:		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields or face shield.		
	8.2.2	Respiratory:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: dust respirator for daily operation and self contained breathing apparatus should be used during a spill.		
	8.2.3	Skin:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: coverall.		
	8.2.4	Hands:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: nitrile rubber.		
8.3	Expo	sure Limits:			
	8.3.1Federal OSHA Guidelines:8.3.2Particulates Not Otherwise Regulated:		Federal guidelines treat the ingredient(s) in this product as a nuisance dust, as no product-specific guidelines have been issued for exposure. As with all nuisance dusts, worker breathing zone concentrations should be measured by validated sampling and analytical methods.		
			OSHA (PEL / TWA): • 15 mg/m ³ (total dust) • 5 mg/m ³ (resp fraction)		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Appearance:	White crystalline solid or granules.	HAS Safety
9.2	Odor:	Odorless.	
9.3	Odor Threshold:	No information available.	Data
9.4	pH:	11.4 (1% solution)	a S
9.5	Melting Point:	851°C (1563.8°F).	Sheet (SD
9.6	Freezing point:	No information available.	
9.7	Boiling Point & Boiling Range:	No information available.	
9.8	Flash Point:	No information available.	SD:
9.9	Evaporation Rate:	No information available.	0 5
9.10	Flammability (solid, gas):	Not flammable	No ST
9.11	Upper / Lower Flammability or	No information available.	
	Explosive Limits:		208
9.12	Vapor Pressure:	Not applicable.	
-	Vapor Density:	Not applicable.	
9.14	, , , , , , , , , , , , , , , , , , ,	0.86 - 1.12 g/cm ³ (Dense grades)	
	Gravity):	53.7 - 70 pounds /cubic foot (Bulk density)	
9.15	Solubility in Water:	212 g/L water at 20°C	
9.16	Partition Coefficient: (n-octanol /	No information available.	
	water):		
9.17	Auto-ignition Temperature:	No information available.	
9.18	Decomposition Temperature:	No information available.	
9.19	Molecular Weight:	106 g/mole	
9.20	Viscosity:	No information available.]∥

	SECTION 10:	STABILITY AND REACTIVITY
10.1	Stability:	Soda Ash is stable.
10.2	Instability Temperature:	Not available.
10.3	Conditions of Instability:	Incompatible materials, moisture
10.4	Incompatibility with Various Substances:	Reactive with acids. Slightly reactive with moisture. Avoid powered aluminum.
10.5	Corrosivity:	Non-corrosive in presence of glass. Hot concentrated solutions of sodium carbonate are mildly corrosive to steel.
10.6	Special Remarks on Reactivity:	Hygroscopic. Combines with water with evolution of heat. Incompatible with phosphorus pentoxide, lithium, fluorine, fluoride, ammonia + silver nitrate, 2, 4, 6 trinitrotoluene, ammonia, acids, sodium sulfide + water, hydrogen peroxide, red hot aluminum metal, sodium sulfide, zinc, calcium hydroxide. Sodium Carbonate is decomposed by acids with effervescence. Reacts violently with fluorine gas, lithium, and 2, 4, 6 – trinitrotoluene. Sodium carbonate begins to decompose at 400°C to evolve CO ₂ .
10.7	Hazardous Decomposition Products:	Sodium oxides.
10.8	Hazardous Polymerization:	Will not occur.

		SECTION 11: TO	(ICOLOGICAL I	NFORMATION	<u>က</u> 🗖
11.1	Route	es of Entry:	Inhalation, ingestic	on.	afe A
11.2		al Toxicity:			AS afety
		Oral (LD ₅₀):	2800 mg/kg [rat]		
		Dermal (LD ₅₀):	> 2000 mg/kg [rab	bitl	ធីហ្គ
		Inhalation (LC ₅₀):	800 mg/m ³ [guinea	-	ODA Sheet (S
		Toxicity dust (LC ₅₀):		rs [Mouse]. Toxic if inhaled.	
11.3		al Remarks on Toxicity:		shed lethal dose) [Man] – Route:	
11.0	opeon		Oral; 714 mg/kg.		N ÖÖ
11.4	respira		Overexposure: Ma	ay cause damage to the upper kin contact (irritant), of ingestion, of	HASA SODA ASH Safety Data Sheet (SDS No. 208)
		Eyes:		on and possible burns. Concentrated se permanent corneal injury al opacity).	(80
	11.4.2	Inhalation:		espiratory tract and mucous n with coughing and shortness of pulmonary edema.	
	11.4.3	Dermal:	Causes skin irritati	on with possible burns depending on site (abraded or intact skin), and	
	11.4.4	Ingestion:	digestive tract resu thirst, abdominal p	ingestion may cause irritation of the ulting in nausea, vomiting, diarrhea, ain depending on concentration and May also affect the cardiovascular	
11.5		nic Human Health Effects Overexposure:	Chronic inhalation function, nasal cor the nasal septum. skin (dermatitis an complaints. Howey	may result in decreased pulmonary ngestion, nosebleeds, perforation of Other effects of chronic exposure are d ulceration), and gastrointestinal ver, the effects of chronic exposure ible if exposure is decreased.	
11.6		al Remarks on Chronic s on Humans:		e reproductive effects based on	
11.7		nogenic [Cancer Potential] I			
	11.7.1	NTP (National Toxicological Pr	ogram 6 th Annual	Not Listed.	
		Report on Carcinogens)			
	11.7.2	IARC (International Agency for Cancer Monographs, V. 1-100)		Not Listed.	
	11.7.3	OSHA (Occupational Safety & Administration)		Not Listed.	
		ACGIH (American Conference Industrial Hygienists)		Not Listed.	
	11.7.5	Proposition 65, California	only:	See Section 15.2.1	

SECTION 12: ECOLOGICAL INFORMATION

SECTION 12: ECOLOGICAL INFORMATION				
12.1 Ecotoxicity:				
	12.1.1	Fish:	LC ₅₀ = 300 mg/L Lepomis macrochirus 96 h LC ₅₀ <310-1220 mg/L Pimephales promelas 96 h	afety Data
	12.1.2	Daphnia and other Aquatic Invertebrates:	EC ₅₀ = 265 mg/L 48 h	S
	12.1.3	Algae:	242 mg/L EC ₅₀ 120 h (Nitzschia)	heet
12.2	BOD a	and COD:	Not available.	s) i
12.3	Produ	cts of Biodegradation:	Biodegradation does not pertain to inorganic substances.	DS
12.4		ity of the Products of gradation:	The products of degradation are less toxic than the product itself.	No. 2
12.5	Mobil	ity:	Dissociates into ions.	208)

SECTION 13: DISPOSAL CONSIDERATIONS

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

SECTION 14: TRANSPORT INFORMATION			
14.1	US D.O.T.	Not regulated.	
14.2	Canada TDG (Transportation of Dangerous Goods)	Not regulated.	
14.3	ICAO (International Civil Aviation Organization):	Not regulated.	
14.4	IMO (International Maritime Organization) IMDG (International Maritime Dangerous Goods) Code:	Not regulated.	

⋗ Ś Þ

SO

 \triangleright

ASH

SECTION 15: REGULATORY INFORMATION

			TIUN 15: KE	GULAIUK	T II	NFURINATIO	JN		
15.1	U.S. R	egulations:							
	15.1.1	OSHA HAZCOM (Hazard Communication)				This product is considered hazardous under the HAZCOM Standard (29 CFR 1910.1200)			
	15.1.2	OSHA PSM (Process Safety Management)				Not regulated under PSM Standard (29 CFR 1910.119)			
	15.1.3	EPA FIFRA and Rodenti	(Federal Insectici cide Act)	de, Fungicide	No	ot regulated as a	a pesticide.		
	15.1.4		erfund Amendmen tion Act) 311/312	its and	Ac	cute Health Haza	ard.		
	15.1.5		LA (Comprehensi tal Response, Com			ot regulated as h Q – none.	nazardous subs	tances.	
	15.1.6		(Toxic Substance	Control Act)	Lis	sted on the inve	ntory.		
	15.1.7		(Resource Conse	,	No	ot Hazardous wa	aste. See Sectio	on 13.	
	15.1.8		(Risk Management	Plan)	No	ot regulated. (40	CFR 68.130)		
15.2	State	of California	Regulations:						
		does not pos manufacture following list your product contain the i cause cance Levels (NSF units of micr to the Act, a users as bei	tesults of these tess se a significant risk er is confident no sig ed chemicals are c ts and any obligation ndicated concentrater (A) or reproductive (A) or reproductive (A) or reproductive ograms per day (µg nd do not preclude ng scientifically val isk of one excess of Prop. 65 Chemical Chromium (Cr) Lead (Pb) Nickel refinery dust (Ni)	of causing canc gnificant risk is p ontained at a de ons you may hav ttions of chemica ve toxicity (B). Al 65 carcinogens in g/day). These lev the use of altern id. NSRLs repres	er o tecta e ur als lis so e n req vels nativ sent 100	r reproductive to able level. This w ader the law. The sted by California enclosed below a gulation (Section provide "safe ha e levels that can the daily intake	xicity. Even tho t, you are notifie vill assist you in a mpurities show a as a chemical re Non Significa s 25705 and 25 rbor" for persons be demonstrate level calculated	ugh the evaluating <i>n</i> below known to nt Risk 709), in s subject d by their to result	
	15.2.2					Not regulated.			
	15.2.3	,	fornia Department	of Pesticide	10	897-50009-AA	(California only))	
15.3	Canad	la Regulatio	ons:						
	15.3.1	15.3.1.1 W	orkplace Hazardou HMIS Classificati HMIS Health Effe et by this Chemic	ion: ects Criteria	D2 Ot E	ion System): 2B - Poisonous a her effects – To - Corrosive mate 2B - Eye irritatio	xic erial	naterial -	
	15.3.2		stic Substances Lis		Th	e substance is	specified on the	DSL.	
15.4		ational Inve					-		
			•						

Revision Date: 01/01/2015 (Supersedes previous revisions)

HASA SODA ASH Safety Data Sheet (SDS No. 208)

SECTION 15: REGULATORY INFORMATION			
15.4.1	AICS (Australian Inventory of Chemical Substances):	On inventory or in compliance with inventory.	
15.4.2	KECI (Korean Existing Chemicals Inventory):	On inventory or in compliance with inventory.	
15.4.3	PICCS (Philippine Inventory of Chemicals and Chemical Substances):	On inventory or in compliance with inventory.	
15.4.4	IECSC (Inventory of Existing Chemical Substances in China):	On inventory or in compliance with inventory.	
15.4.5	NZIOC (New Zealand Inventory of Chemicals):	On inventory or in compliance with inventory.	

SECTION 16: OTHER INFORMATION 16.1 HMIS III (Hazardous Materials Identification System): 16.1.1 **HEALTH** 2 16.1.2 FLAMMABILITY 0 16.1.3 PHYSICAL HAZARD 0 16.1.4 **PERSONAL PROTECTION** See Section 8. 16.2 NFPA 704 (National Fire Protection Association): 16.2.1 **HEALTH** 2 16.2.2 **FLAMMABILITY** 0 0 16.2.3 **INSTABILITY** 16.2.4 **SPECIAL** None 16.3 International Fire Code / International No information. Building Code: 16.4 **ANSI** (American National Standards Institute): 16.4.1 Hazardous Industrial Chemicals -Complies with ANSI Z400.1 - 2004. **MSDS-Preparation**: 16.4.2 Hazardous Industrial Chemicals -Complies with ANSI Z129.1 - 2006. Precautionary Labeling:

Note: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, express or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation, and use procedures. The safe handling, storage, transportation, and use procedures remain the sole responsibility of the customer. No suggestions for handling, storage, transportation, or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc. This Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.